5-2019

Automatic Matching of Scans from Hamby Sets

Heike Hofmann
Iowa State University, hofmann@iastate.edu

Susan VanderPlas
Iowa State University

Alicia L. Carriquiry
Iowa State University, alicia@iastate.edu

Automatic Matching of Scans from Hamby Sets

Disciplines

Forensic Science and Technology

Comments

Posted with permission of CSAFE.

Automatic Matching of Scans from Hamby Sets

Friends, False Friends and Clones

Dr. Heike Hofmann (hofmann@iastate.edu, @heike_hh)
Dr. Susan VanderPlas
Dr. Alicia Carriquiry

csafe
Center for Statistics and Applications in Forensic Evidence

ForensicStats.org

An Investigation …
- the statistical way

Dr. Heike Hofmann (hofmann@iastate.edu, @heike_hh)
Dr. Susan VanderPlas
Dr. Alicia Carriquiry

csafe
Center for Statistics and Applications in Forensic Evidence

ForensicStats.org

Outline

- ★ Matching bullets - very brief overview of the algorithm: *getting RF scores*
- ★ Applications for quantifying identifications: *using RF scores*
- ★ Scores as a diagnostics tool: *mis(?)using RF scores*

csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

Hamby Sets

- ★ in collaboration with: St Louis PD, DCI Ankeny, Jim Hamby, Paul Murphy, NIST NBTRD
- ★ Hamby Sets 10, 36, 44, 173, 224, 252
- ★ Hamby Clones 159
- ★ Hamby Clone Test Set 224
- ★ each set consists of
  - ★ 20 known bullets (2 from each of ten consecutively manufactured P-85 barrels)
  - ★ 15 questioned bullets

csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

Data: Microscope Facility

Roy J. Carver High Resolution Microscopy Facility

Two Sensofar Confocal Light Microscopes

Six undergraduates scanning bullet lands

3d topographic images: height measurements on x-y grid



csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

Data: Microscope Facility

Roy J. Carver High Resolution Microscopy Facility

Two Sensofar Confocal Light Microscopes

Six undergraduates scanning bullet lands

3d topographic images: height measurements on x-y grid







safe
Statistics and
s in Forensic Evidence
sicStats.org

Data from CL Microscope

x-y-z files

Data captured on a regular grid of 0.645 *μm* x 0.645 *μm*

Total captured area for each land ~ *2.2 mm x 0.6 mm*



x - y - z file

x	y	z
18.705	0.000	-25.221138
19.350	0.000	-25.253155
19.995	0.000	-25.335022
20.640	0.000	-25.418171
21.285	0.000	-25.477917
21.930	0.000	-25.541687
22.575	0.000	-25.673903
23.220	0.000	-25.966341
23.865	0.000	-40.070286
24.510	0.000	-40.407612
25.155	0.000	-40.587063
25.800	0.000	-33.437973
26.445	0.000	-33.691895
27.090	0.000	-39.690674
27.735	0.000	-40.317741
	.	
	.	
	.	

csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

Automatic matching score

Step 1: identify region suitable for matching

land from bullet fired from Smith & Wesson



Region close to heel of bullet

Avoid break-off

csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

Automatic matching score

Step 1b: from scan to crosscut



csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

Automatic matching score

Step 1b: from scan to crosscut

Identify matching region





csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

Automatic matching score

Step 1b: from scan to crosscut





csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

Automatic matching score

Step 1b: from scan to crosscut

Identify matching region





csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

Automatic matching score

Step 1b: from scan to crosscut





csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

Automatic matching score

Step 2: Identify groove locations





Shoulders (locations outside the grooves) are removed

csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

Automatic matching score

Step 2: Identify groove locations





Shoulders (locations outside the grooves) are removed

csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

Automatic matching score

Step 3: Fit curvature



Identify matching region



Identify groove locations



csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

Automatic matching score

Step 3: Fit curvature



Identify matching region



Identify groove locations



csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

Automatic matching score

Step 3: Fit curvature & get signature



Identify matching region



Identify groove locations



csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

Automatic matching score

Step 3: Fit curvature & get signature



Identify matching region



Identify groove locations



csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

Automatic matching score

Step 3: Fit curvature & get signature



Identify matching region



Identify groove locations



csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

Automatic matching score

Step 4: Align signatures



Identify matching region



Identify groove locations



Extract signature

csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

Automatic matching score

Step 4: Align signatures





Identify matching region



Identify groove locations



Extract signature



csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

Automatic matching score

Step 4: Align signatures



Identify matching region



Identify groove locations



Extract signature

csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

Automatic matching score

Step 4: Align signatures

Identify matching region



Identify groove locations



Extract signature



Horizontal shifts to find best alignment



csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

Automatic matching score

Step 5: Identify Peaks & Valleys

Peaks and valleys in the same locations of two lands are matching striae on the scans



Identify matching region



Identify groove locations



Extract signature





Automatic matching score

Step 6: Extract features

Feature should distinguish between a match and a non-match



Identify matching region



Identify groove locations



Extract signature







Automatic matching score

Step 6: Extract features

Feature should distinguish between a match and a non-match

- # matches/mis-matches of peaks & valleys
- # consecutive matching striae (cms)
- depth of peaks/valleys
- area between the signatures
- cross-correlation function



Identify matching region



Identify groove locations



Extract signature







Automatic matching score

Step 7: Assign Score (Random Forest Model)

★ Matching score between 0 and 1

★ Higher score indicates more similarity between two lands



Automatic matching of bullet land impressions,
Annals of Applied Statistics,
Eric Riemer Hare, Heike Hofmann, and Alicia Carriquiry

Algorithmic approaches to match degraded land impressions
Eric Hare; Heike Hofmann; Alicia Carriquiry
Law, Probability and Risk, Volume 16, Issue 4, 1 December 2017, 203–221, https://doi.org/10.1093/lpr/mgx018

csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

What does it mean?

★ let's assume that two bullet (land)s are compared, the model spits out a number …



csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

What does it mean?

★ let's assume that two bullet (land)s are compared, the model spits out a number …

○ 0.91



csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

What does it mean?

★ let's assume that two bullet (land)s are compared, the model spits out a number …

○ 0.91



csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

What does it mean?

★ let's assume that two bullet (land)s are compared, the model spits out a number …

○ 0.91



csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

What does it mean?

★ let's assume that two bullet (land)s are compared, the model spits out a number …



csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

What does it mean?

★ let's assume that two bullet (land)s are compared, the model spits out a number …

○ 0.91

2.77 1.6×10^{-16}



csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

What does it mean?

★ let's assume that two bullet (land)s are compared, the model spits out a number …

○ 0.91

$2.77 / 1.6 \times 10^{-16} = 1.7 \times 10^{16}$



csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

What does it mean?

★ let's assume that two bullet (land)s are compared, the model spits out a number …

○ 0.91

$2.77 / 1.6 \times 10^{-16} = 1.7 \times 10^{16}$

The likelihood ratio indicates how much more likely it is to observe a value of 0.91 from two same-source LEAs than from two different-source LEAs



csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

What does it mean?

★ let's assume that two bullet (land)s are compared, the model spits out a number …

○ 0.91

2.77 / 1.6×10^{-16} = 1.7×10^{16}

supports identification



The likelihood ratio indicates how much more likely it is to observe a value of 0.91 from two same-source LEAs than from two different-source LEAs

csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

What does it mean?

★ let's assume that two bullet (land)s are compared, the model spits out a number …



○ 0.91

$2.77 / 1.6 \times 10^{-16} = 1.7 \times 10^{16}$

supports identification

○ 0.69

csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

What does it mean?

★ let's assume that two bullet (land)s are compared, the model spits out a number …



○ 0.91

2.77 / 1.6×10^{-16} = 1.7×10^{16}

supports identification

○ 0.69

0.67 / 0.05 = 13.4

csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

What does it mean?

★ let's assume that two bullet (land)s are compared, the model spits out a number …



○ 0.91

2.77 / 1.6x10^{-16} = 1.7x10^{16}

supports identification

○ 0.69

0.67 / 0.05 = 13.4

supports identification

csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

What does it mean?

★ let's assume that two bullet (land)s are compared, the model spits out a number …



○ 0.91

2.77 / 1.6x10^{-16} = 1.7x10^{16}

supports identification

○ 0.69

0.67 / 0.05 = 13.4

supports identification

○ 0.50

0.43 / 1.65 = 0.26

inconclusive

csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

Shades of RF Scores

ForensicStats.org

HS 224 to Clone HS 224

Random Forest Scores

★ How well do LEAs match between a bullet and its clone?

HS 224 Br 1 - Bullet 1 - Land 1

HS 224 **Clone** Br 1 - Bullet 1 - Land 1

csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

HS 224 to Clone HS 224

Random Forest Scores

★ How well do LEAs match between a bullet and its clone?

HS 224 Br 1 - Bullet 1 - Land 1

HS 224 Barrel 1 - Bullet 1 - Land 2

HS 224 **Clone** Br 1 - Bullet 1 - Land 1

HS 224 **Clone** Br 1 - Bullet 1 - Land 2



HS 224 to Clone HS 224

Random Forest Scores

★ How well do LEAs match between a bullet and its clone?

Set	Bullet	Clone Bullet 1	Clone Bullet 2	Original Bullet 1	Original Bullet 2
Clone	**Bullet 1**	1.00	0.80		
	Bullet 2	0.80	0.83		
Original	**Bullet 1**			1.00	0.98
	Bullet 2			0.98	1.00

★ Original bullets match with higher RF score than clones

csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

HS 224 to Clone HS 224

Random Forest Scores

★ How well do LEAs match between a bullet and its clone?

Set	Bullet	Clone Bullet 1	Clone Bullet 2	Original Bullet 1	Original Bullet 2
Clone	Bullet 1	1.00	0.80	0.97	0.96
	Bullet 2	0.80	0.83	0.78	0.83
Original	Bullet 1			1.00	0.98
	Bullet 2			0.98	1.00

★ Original bullets match with higher RF score than clones

★ Original bullets match well to clones, almost as well as to each other

csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

HS 224 to Clone HS 224

Random Forest Scores

★ Some LEA scans of clones are showing artifacts:



csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

HS 224 to Clone HS 224

Random Forest Scores

★ Some LEA scans of clones are showing artifacts:



csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

HS 224 to Clone HS 224

Random Forest Scores

★ Some LEA scans of clones are showing artifacts:



droplets

HS 224 to Clone HS 224

Random Forest Scores

★ Some LEA scans of clones are showing artifacts:



droplets

HS 224 to Clone HS 224

Random Forest Scores

★ Some LEA scans of clones are showing artifacts:



droplets

air pockets between clone and cast

csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

HS 224 to Clone HS 224

Random Forest Scores

★ Some LEA scans of clones are showing artifacts:



droplets

air pockets between clone and cast

csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

HS 224 to Clone HS 224

Random Forest Scores

★ Some LEA scans of clones are showing artifacts:



droplets

air pockets between clone and cast

some other structure but no striae

HS 224 to Clone HS 224

Random Forest Scores

★ Some LEA scans of clones are showing artifacts:



droplets

air pockets between clone and cast

some other structure but no striae

Automatic RF scores allow us to assess clone quality quantitatively

Hamby Set 10 and 44

Random Forest Scores

- ★ Hamby Set 10 and Set 44 are from the same 10 barrels of Ruger P-85s
- ★ Bullets from Hamby Set 44 are fired some time later (~ 240 shots in each barrel between the sets)
- ★ Two Goals:
  - ★ **check** identifications between the sets
  - ★ **quantify** identifications

csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

Hamby Set 10 and 44 Barrel 1



Hamby Set 10 and 44

Random Forest Scores

★ Identification between Sets 10 and 44 are possible

	HS10-B1	**HS10-B2**	**HS44-B1**	**HS44-B2**
HS10-B1	1.00	0.65		
HS10-B2	0.65	1.00		
HS44-B1			1.00	0.79
HS44-B2			0.79	1.00

csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

Hamby Set 10 and 44

Random Forest Scores

★ Identification between Sets 10 and 44 are possible

	HS10-B1	**HS10-B2**	**HS44-B1**	**HS44-B2**
HS10-B1	1.00	0.65	0.56	0.59
HS10-B2	0.65	1.00	0.57	0.57
HS44-B1			1.00	0.79
HS44-B2			0.79	1.00

csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

Hamby Set 10 and 44

Random Forest Scores

★ Identification between Sets 10 and 44 are possible

	HS10-B1	**HS10-B2**	**HS44-B1**	**HS44-B2**
HS10-B1	1.00	0.65	0.56	0.59
HS10-B2	0.65	1.00	0.57	0.57
HS44-B1			1.00	0.79
HS44-B2			0.79	1.00

★ RF scores between sets are not as high as within sets

csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

Hamby Set 10 and 44

Random Forest Scores

★ Identification between Sets 10 and 44 are possible

	HS10-B1	**HS10-B2**	**HS44-B1**	**HS44-B2**
HS10-B1	1.00	0.65	0.56	0.59
HS10-B2	0.65	1.00	0.57	0.57
HS44-B1			1.00	0.79
HS44-B2			0.79	1.00

★ RF scores between sets are not as high as within sets

★ RF scores can be used to quantify the strength of an identification

csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

RF Scores in context

csafe
Center for Statistics and Applications in Forensic Evidence

ForensicStats.org

Hamby Set 44

RF Scores in context of a study



csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

Hamby Set 44

Random Forest Scores

★ Land-to-land matches for bullets 1 and 2 from barrel 1



csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

Hamby Set 44

Random Forest Scores

★ Land-to-land matches for bullets 1 and 2 from barrel 1



csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

Hamby Set 44

Random Forest Scores

★ Land-to-land matches for bullets 1 and 2 from barrel 1





csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

Hamby Set 44

Random Forest Scores

★ Land-to-land matches for bullets 1 and 2 from barrel 1





Barrel 1 - Bullet 1 - Land 3

Barrel 1 - Bullet 2 - Land 1

Hamby Set 44

Random Forest Scores

★ Land-to-land matches for bullets 1 and 2 from barrel 1



csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

Hamby Set 44

Random Forest Scores

★ Land-to-land matches for bullets 1 and 2 from barrel 1





csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

Hamby Set 44

Random Forest Scores

★ Land-to-land matches for bullets 1 and 2 from barrel 1





Barrel 1 - Bullet 1 - Land 1



Barrel 1 - Bullet 2 - Land 5

Using the RF Score for diagnostics

★ Land-to-land matches for two bullets show oddities







csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

Using the RF Score for diagnostics

★ Land-to-land matches for two bullets show oddities







scans for lands 3 and 4 were mis-labelled for one bullet

csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

Using the RF Score for diagnostics

★ Land-to-land matches for two bullets show oddities



scans for lands 3 and 4 were mis-labelled for one bullet



instead of turning right to scan land 6, scanner turned left and scanned land 4 again



csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

Using the RF Score for diagnostics

★ Land-to-land matches for two bullets show oddities



scans for lands 3 and 4 were mis-labelled for one bullet



instead of turning right to scan land 6, scanner turned left and scanned land 4 again



scans for land 2 and land 3 are identical

csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

Using the RF Score for diagnostics

★ Land-to-land matches for two bullets show oddities



scans for lands 3 and 4 were mis-labelled for one bullet



instead of turning right to scan land 6, scanner turned left and scanned land 4 again



scans for land 2 and land 3 are identical

These things went wrong in our scanning lab

csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

Summary & further work

- ★ Random Forest Model provides interpretable and consistent scores for quantifying identifications
  - ★ matching clones to original bullets - assess clone quality
  - ★ matching bullets between Hamby sets
  - ★ quantification of bullet and scan deficiencies
- ★ Visualizations with increased context used for diagnostics
- ★ Limitations: traditional rifling only (LEAs are matched)

csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

Thank You!

Questions?

Heike Hofmann (hofmann@iastate.edu, @heike_hh)
ISU CSAFE bullet team

csafe
Center for Statistics and Applications in Forensic Evidence
ForensicStats.org

https://forensicstats.org/

@csafe_coe